


Easy CramBible Lab



70-515

**TS:Web Applications
Development
w/Microsoft .NET**

**** Single-user License ****

This copy can be only used by yourself for educational purposes.

Web: <http://www.crambible.com/>

E-mail: web@crambible.com

Important Note
Please Read Carefully**Study Tips**

This product will provide you questions and answers along with carefully compiled and written by our experts. Try to understand the concepts behind the questions instead of cramming the questions.

Go through the entire document at least twice so that you make sure that you are not missing anything.

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at CramBible an update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to www.CramBible.com
2. Click on Member zone/Log in
3. The latest versions of all purchased products are download from here. Just click the links.

For most updates, it is enough just to print the new questions at the end of the new version, not the whole document.

Feedback

Feedback on specific questions should be send to web@CramBible.com. You should state: Exam number and version, question number, and login ID.

Our experts will answer your mail promptly.

Copyright

Each pdf file contains a unique serial number associated with your particular name and contact information for security purposes. So if we find out that a particular pdf file is being distributed by you, CramBible reserves the right to take legal action against you according to the International Copyright Laws.

THE TOTAL NUMBER OF QUESTIONS IS 124**QUESTION NO:1**

You are implementing an ASP.NET application that uses data-bound GridView controls in multiple pages. You add JavaScript code to periodically update specific types of data items in these GridView controls. You need to ensure that the JavaScript code can locate the HTML elements created for each row in these GridView controls, without needing to be changed if the controls are moved from one page to another. What should you do?

- A. Replace the GridView control with a ListView control.
- B. Set the ClientIDMode attribute to Predictable in the web.config file.
- C. Set the ClientIDRowSuffix attribute of each unique GridView control to a different value.
- D. Set the @ OutputCache directive's VaryByControl attribute to the ID of the GridView control.

Answer: C

QUESTION NO:2

You are implementing an ASP.NET application that includes a page named TestPage.aspx. TestPage.aspx uses a master page named TestMaster.master.

You add the following code to the TestPage.aspx code-behind file to read a TestMaster.master public property named CityName.

```
protected void Page_Load(object sender, EventArgs e).
```

```
{string s = Master.CityName;.
```

```
} You need to ensure that TestPage.aspx can access the CityName property.
```

What should you do?

- A. Add the following directive to TestPage.aspx.

```
<%@ MasterType VirtualPath="-/TestMaster.master" %>
```

- B. Add the following directive to TestPage.aspx.

```
<%@ PreviousPageType VirtualPath="-/TestMaster.master" %>
```

- C. Set the Strict attribute in the @ Master directive of the TestMaster.master page to true.
- D. Set the Explicit attribute in the @ Master directive of the TestMaster.master page to true.

Answer: A

QUESTION NO:3

You are implementing an ASP.NET application that includes a page named TestPage.aspx. TestPage.aspx uses a master page named TestMaster.master.

You add the following code to the TestPage.aspx code-behind file to read a TestMaster.master public property named CityName.

```
Protected Sub Page_Load(ByVal sender As Object,  
ByVal e As System.EventArgs) Handles Me.Load  
Dim s As String = Master.CityName  
End Sub
```

You need to ensure that TestPage.aspx can access the CityName property.

What should you do?

A. Add the following directive to TestPage.aspx.

```
<% @ MasterType VirtualPath="-/TestMaster.master" %>
```

B. Add the following directive to TestPage.aspx.

```
<% @ PreviousPageType VirtualPath="-/TestMaster.master" %>
```

C. Set the Strict attribute in the @ Master directive of the TestMaster.master page to true.

D. Set the Explicit attribute in the @ Master directive of the TestMaster.master page to true.

Answer:A

QUESTION NO:4

You are implementing an ASP.NET page. You add asp:Button controls for Help and for Detail.

You add an ASP.NET skin file named default.skin to a theme.

You need to create and use a separate style for the Help button, and you must use the default style for the Detail button.

What should you do?

A. Add the following markup to the default.skin file.

```
<asp:ButtonID="Help"></asp:Button>
```

```
<asp:ButtonID="Default"></asp:Button>
```

Use the following markup for the buttons in the ASP.NET page.

```
<asp:ButtonSkinID="Help">Help</asp:Button>
```

```
<asp:ButtonSkinID="Default">Detail</asp:Button>
```

B. Add the following markup to the default.skin file.

```
<asp:ButtonSkinID="Help"></asp:Button>
```

```
<asp:ButtonID="Default"></asp:Button>
```

Use the following markup for the buttons in the ASP.NET page.

```
<asp:ButtonSkinID="Help">Help</asp:Button>
```

```
<asp:ButtonSkinID="Default">Detail</asp:Button>
```

C. Add the following code segment to default.skin.

```
<asp:ButtonSkinID="Help"></asp:Button>
```

```
<asp:Button></asp:Button>
```

Use the following markup for the buttons in the ASP.NET page.

```
<asp:ButtonSkinID="Help"></asp:Button>
```

```
<asp:ButtonSkinID="Default">Detail</asp:Button>
```

D. Add the following markup to default.skin.

```
<asp:ButtonSkinID="Help"></asp:Button>
```

```
<asp:Button></asp:Button>
```

Use the following markup for the buttons in the ASP.NET page.

```
<asp:ButtonSkinID="Help">Help</asp:Button>
```

```
<asp:Button>Detail</asp:Button>
```

Answer:D

QUESTION NO:5

You are creating an ASP.NET Web site. The site has a master page named Custom.master. The code-behind file for Custom.master contains the following code segment, public partial class CustomMaster: MasterPage

```
{  
public string Region  
{  
get; set;  
}  
protected void Page_Load(object sender, EventArgs e)  
{ }  
}
```

You create a new ASP.NET page and specify Custom.master as its master page.

You add a Label control named lblRegion to the new page.

You need to display the value of the master page's Region property in lblRegion.

What should you do?

A. Add the following code segment to the Page_Load method of the page code-behind file.

```
CustomMaster custom = this.Parent as CustomMaster;
```

```
IblRegion.Text = custom.Region;
```

B. Add the following code segment to the Page_Load method of the page code-behind file.

```
CustomMaster custom = this.Master as CustomMaster;
```

```
IblRegion.Text = custom.Region;
```

C. Add the following code segment to the Page_Load method of the Custom.Master.es code-behind file.

```
Label IblRegion = Page.FindControl("IblRegion") as Label;
```

```
IblRegion.Text = this.Region;
```

D. Add the following code segment to the Page_Load method of the Custom.Master.es code-behind file.

```
Label IblRegion = Master.FindControl("IblRegion") as Label;
```

```
IblRegion.Text = this.Region;
```

Answer:B

QUESTION NO:6

You are creating an ASP.NET Web site. The site has a master page named Custom.master. The code-behind file for Custom.master contains the following code segment.

```
Partial Public Class Custom
```

```
Inherits System.Web.UI.MasterPage
```

```
Public Property Region As String
```

```
Protected Sub Page_Load(ByVal sender As Object,
```

```
ByVal e As System.EventArgs) Handles Me.Load
```

```
End Sub
```

```
End Class
```

You create a new ASP.NET page and specify Custom.master as its master page.

You add a Label control named IblRegion to the new page.

You need to display the value of the master page's Region property in IblRegion.

What should you do?

A. Add the following code segment to the Page_Load method of the page code-behind file.

```
Dim custom As Custom = Me.Parent
```

```
IblRegion.Text = custom.Region
```

B. Add the following code segment to the Page_Load method of the page code-behind file.