


Easy CramBible Lab



70-577

**TS: Microsoft Windows@
Embedded Standard 2009,
Development**

** Single-user License **

This copy can be only used by yourself for educational purposes.

Web: <http://www.crambible.com/>

E-mail: web@crambible.com

Important Note**Please Read Carefully****Study Tips**

This product will provide you questions and answers along with carefully compiled and written by our experts. Try to understand the concepts behind the questions instead of cramming the questions.

Go through the entire document at least twice so that you make sure that you are not missing anything.

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at CramBible an update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to www.CramBible.com
2. Click on Member zone/Log in
3. The latest versions of all purchased products are download from here. Just click the links.

For most updates, it is enough just to print the new questions at the end of the new version, not the whole document.

Feedback

Feedback on specific questions should be send to web@CramBible.com. You should state: Exam number and version, question number, and login ID.

Our experts will answer your mail promptly.

Copyright

Each pdf file contains a unique serial number associated with your particular name and contact information for security purposes. So if we find out that a particular pdf file is being distributed by you, CramBible reserves the right to take legal action against you according to the International Copyright Laws.

THE TOTAL NUMBER OF QUESTIONS IS 75**QUESTION NO: 1**

You are creating a Windows Embedded Standard run-time image.

You need to identify the file system component that meets the following requirements:

Set access level to files and folders for each user level.

Allow transparent encryption of files and directories for users and programs.

Which component should you use?

- A. NTFS file system (NTFS)
- B. File Allocation Table (FAT)
- C. Compact Disc File System (CDFS)
- D. Universal Disk File System (UDFS)

Answer: A

QUESTION NO: 2

You are developing a Windows Embedded Standard device that contains multiple user accounts. You add the required number of User Account components.

You need to configure the User Account components to meet the following requirements: Users must be able to modify the system settings. Users must be unable to install programs that affect the system files. Which User Type should you set?

- A. Guest
- B. User
- C. Power User
- D. Administrator

Answer: C

QUESTION NO: 3

You are creating a Windows Embedded Standard run-time image. You need to create multiple user accounts. What should you do?

- A. Add multiple instances of the User Account component to the SLX file.

- B. Add the Administrator Account component to multiple SLX files.
- C. Use Component Designer to create a component that includes a custom security template (.inf) file.
- D. Add the User Account component to multiple SLX files.

Answer: A

QUESTION NO: 4

You are developing a Windows Embedded Standard device that you plan to sell in France and Canada. You need to modify the settings for the component to meet the following requirements: Uses the French Language Support component. Uses a minimal footprint for the French Language Support component. User interface supports only French and English. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. Disable the Include multilanguage user interface resources option.
- B. Disable the Support all system locales for French option.
- C. Enable the Include multilanguage user interface resources option.
- D. Enable the Support all system locales for French option.

Answer: B C

QUESTION NO: 5

You are developing a Windows Embedded Standard device that you plan to sell in Russia. You need to ensure that the device meets the following requirements: Supports the Russian language. Supports the Russian language for the user interface. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. Enable the Include multilanguage user interface resources option in the component.
- B. Enable the Support all system locales for Russian option in the component.
- C. Add the User Locale: Russian component to the configuration of the operating system image.
- D. Add the Russian Language Support component to the configuration of the operating system image.
- E. Add the Language: Russian-0419 component to the configuration of the operating system image.

Answer:A D

QUESTION NO: 6

You are designing a custom shell component for Windows Embedded Standard. You need to ensure that this component is displayed along with other existing shells in the component browser. You run Component Designer. What should you do next?

- A. Add a group membership for the component to the Shells group.
- B. Add the custom shell component to the Shell dependency group.
- C. Set an extended property for the custom shell component.
- D. Set an extended property for the Explorer shell component.

Answer: A

QUESTION NO: 7

You are creating a Windows Embedded Standard run-time image. You need to ensure that the image will support different local privileges for different users. Which component should you use?

- A. Minlogon
- B. Windows Logon
- C. Netlogon/NetJoin
- D. Automatic Logon

Answer:B

QUESTION NO: 8

You are developing a Windows Embedded Standard run-time image for a device. You need to ensure that you can use Remote Desktop Protocol to remotely manage your device. Which component should you add to the image?

- A. Minlogon
- B. Windows Logon
- C. Netlogon/NetJoin
- D. RPC Remote

Answer:B

QUESTION NO: 9

You are developing a Windows Embedded Standard run-time image for a device. You plan to connect to the device from a remote location. You need to ensure that a remote computer is able to access only the command prompt of the device. Which component should you add?

- A. Telnet Client
- B. Telnet Server
- C. Terminal Services
- D. Terminal Services Core

Answer: B

QUESTION NO: 10

You are working on a Windows XP Embedded Standard device. You add a shell component named MyShell to the device. You set the value of an extended property to invoke the shell. You need to create a custom shell component by using predefined system variables. Which extended property should you set?

- A. Name: MyShellFormat: StringValue: %ProgramFiles%\MyShell\
- B. Name: cmiShellPath Format: StringValue: %ProgramFiles%\MyShell\MyShell.exe
- C. Name: cmiShellPath Format: StringValue: %ProgramFiles%\MyShell\
- D. Name: MyShellFormat: StringValue: %ProgramFiles%\MyShell\MyShell.exe

Answer: B

QUESTION NO: 11

You are deploying a run-time image by using an SDI file. Your destination device is connected to the network where the SDI file resides. The destination device contains a single disk with a single partition. You start the destination device by using a floppy disk with 16-bit DOS. You need to deploy the run-time image. What should you do first?

- A. Run bootprep.exe
- B. Run econvert.exe
- C. Run sdi2hd.exe
- D. Run hd2iso.exe

Answer: C