


# *Easy CramBible Lab*



**HP0-771**

## **Designing & Implementing HP Enterprise Backup Solutions**

**\*\* Single-user License \*\***

This copy can be only used by yourself for educational purposes

Web: <http://www.crambible.com/>

E-mail: [web@crambible.com](mailto:web@crambible.com)

**Important Note**  
**Please Read Carefully****Study Tips**

This product will provide you questions and answers along with detailed explanations carefully compiled and written by our experts. Try to understand the concepts behind the questions instead of cramming the questions.

Go through the entire document at least twice so that you make sure that you are not missing anything.

**Latest Version**

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at CramBible an update 3-4 days before the scheduled exam date.

Here is the procedure to get the latest version:

1. Go to [www.CramBible.com](http://www.CramBible.com)
2. Click on Member zone/Log in
3. The latest versions of all purchased products are download from here. Just click the links.

For most updates, it is enough just to print the new questions at the end of the new version, not the whole document.

**Feedback**

Feedback on specific questions should be send to [web@CramBible.com](mailto:web@CramBible.com). You should state: Exam number and version, question number, and login ID.

Our experts will answer your mail promptly.

**Copyright**

Each pdf file contains a unique serial number associated with your particular name and contact information for security purposes. So if we find out that a particular pdf file is being distributed by you, CramBible reserves the right to take legal action against you according to the International Copyright Laws.

**THE TOTAL NUMBER OF QUESTIONS IS 60**

**QUESTION NO: 1 The administrator is unable to verify who has an open session with Command View ESL. The administrator needs to access the library to update the firmware. Which two actions should the administrator take in order to upgrade the firmware? (Choose two).**

- A. Power cycle the library.
- B. Run the CLI via a serial cable.
- C. Run the CLI via telnet.
- D. Power cycle the backup server.

**Answer: B, C**

**QUESTION NO: 2 What two levels of library access does the advanced mode of Secure Manager allow? (Choose two.)**

- A. drive
- B. zone
- C. library
- D. backup

**Answer: A, C**

**QUESTION NO: 3 Which of the following steps should the administrator perform after installing Command View ESL? (Choose two).**

- A. Configure host access to the library.
- B. Configure SCSI IDs for each tape drive.
- C. Configure encryption settings for the library.
- D. Configure identification properties for each library.
- E. Configure compression settings for each tape drive.

**Answer: A, D**

**QUESTION NO: 4 A customer finds that backup jobs are unsuccessful. The backup software is able to detect the library and its tape drives. The customer stops all backup jobs and decides to update the firmware for the MSL6060 library using Library and Tape Tools but, Library and Tape Tools is unable to start the firmware upgrade. Which should be performed?**

- A. Download the latest patches for the backup software.
- B. Install Library and Tape Tools on a workstation instead.
- C. Verify that the Fibre Channel Interface Controller detects the library.
- D. Stop the backup application services or daemons on the backup server.

**Answer: D**

**QUESTION NO: 5 A customer is using a MSL6060 library with four tape drives. The library is directly attached to a server via SCSI HBAs. The library currently has no cards in the cPCI slots.**

**The customer wishes to share the tape library in a SAN environment. Which two hardware changes to the library will be needed, assuming that all other components in the SAN already exist? (Choose two.)**

- A. The customer should connect a Fibre cable from the existing Library Controller board into a Fibre Channel switch.
- B. The customer should remove the existing Library Controller board and replace it with a Fibre Channel Library Controller board.
- C. The customer should add a Network Storage Router M2402 to the SAN and connect the tape drives to the router.
- D. The customer should add two e1200-160 Interface Controllers to the cPCI slots and connect the tape drives to the Interface Controllers.
- E. The customer should add one e2400-160 Interface Controller into a cPCI slot and connect the tape drives to the Interface Controller.

**Answer: C, D**

**QUESTION NO: 6 Which two components of the MSL6060 Library are hot-swappable? (Choose two.)**

- A. fans
- B. tape drives
- C. power supplies
- D. robotics control module

**Answer: B, C**

**QUESTION NO: 7 While the MSL6030 library is online, what is the purpose of the mail slot?**

- A. formatting new tapes
- B. holding a cleaning tape
- C. loading and unloading tapes
- D. transferring tapes between stacked libraries

**Answer: C**

**QUESTION NO: 8 Which tool requires a serial cable for a firmware upgrade on the MSL6000 library?**

- A. MSLUtil
- B. LibDiag
- C. Library and Tape Tools
- D. Remote Management Interface

**Answer: A**

**QUESTION NO: 9 A customer wishes to upgrade the firmware on the MSL6060 library. Which tool requires a server that has SAN or SCSI access to the library?**

- A. MSLUtil
- B. LibDiag
- C. Library and Tape Tools
- D. Remote Management Interface

**Answer: C**

**QUESTION NO: 10 What are three reasons to use the Enterprise Backup Solution? (Choose three.)**

- A. dynamic access to archived data
- B. centralization of data management
- C. rapid growth of data in a data center environment
- D. share a tape library only in Linux, Novell, HP-UX, and Tru64 UNIX
- E. integration of supported data protection software and industry-standard hardware

**Answer: B, C, E**

**QUESTION NO: 11 What is a key reason Fibre Channel can help cut costs in secondary storage?**

- A. the speed of Fibre Channel tape devices compared to SCSI tape devices
- B. the lower prices of Fibre Channel components relative to SCSI components
- C. Fibre Channel's ability to allow multiple servers to directly access a shared tape library
- D. Fibre Channel's ability to allow tape devices of different interfaces to share a single Fibre Channel switch

**Answer: C**

**QUESTION NO: 12 As a result of disabling the left load port in an ESL E-Series library, which statement is true?**

- A. The left load port no longer provides any function.
- B. The right load port no longer provides any function.
- C. The left load port can then be used as standard slots.
- D. The left load port can then be used for unloading and loading tapes.

**Answer: C**

**QUESTION NO: 13 What is the purpose of HP OpenView Storage Media Operations?**

- A. It automates the media lifecycle process
- B. It tracks media movement
- C. It tracks data movement
- D. It tracks tape drive movement

**Answer: A, B**

**QUESTION NO: 14 To what protocol does the NSR translate the Fibre Channel protocol?**

- A. iSCSI protocol
- B. FATA protocol
- C. SCSI protocol
- D. SATA protocol

**Answer: C**